

技術資料

## 9308 | Rugged Carrying Case





## 產品概述: 9308 | Rugged Carrying Case

- Rugged carrying case for the 9102 Handheld Dry Well, 9132 Portable Infrared Calibrator, or 9140 Dry-Well Calibrator

- Watertight, crushproof, dust proof
- Strong and light weight
- Easy-to-open double-throw latches
- Pressure equalization valve for quick equalization after changes in atmospheric pressure
- Rubber over-molded handle for comfortable grip
- Hardware and padlock protected with stainless steel
- Foam lined for impact protection

## 規格: 9308 | Rugged Carrying Case

- Interior dimensions: (L x W x H): 11.81 in x 8.87 in x 5.18 in (30 cm x 22.5 cm x 13.2 cm)

## 機型



### 9308

#### Rugged Carrying Case

- 9102S Handheld Dry-Well
- 9132 Portable IR Calibrator
- 9140 Dry-Well Calibrator

Fluke. 保持您的世界運作不懈。

Fluke Corporation  
PO Box 9090, Everett, WA 98206 U.S.A.

更多資訊  
U.S.A. (800) 443-5853  
Europe/M-East/Africa  
+31 (0)40 267 5100  
Canada (800)-36-FLUKE  
其他 +1 (425) 446-5500  
[www.fluke.com/zh-tw](http://www.fluke.com/zh-tw)

©2025 Fluke Corporation. Specifications subject to  
change without notice.  
04/2025

Modification of this document is not permitted  
without written permission from Fluke Corporation.