

Fluke InsideIR Software



產品概述: Fluke InsideIR Software

InsideIR software, a Windows based PC application for thermal analysis and reporting, is included in the Fluke Ti20 and Ti30 thermal imagers.

規格: Fluke InsideIR Software

System Requirements

One of the following operating systems Microsoft® Windows® Vista, Microsoft® Windows® XP, or Microsoft® Windows® 2000 with SP3

Version of Intenet Explorer 6.0 or greater

Microsoft .NET Framework 2.0 (Included as part of the InsideIR 4.0 installation)

Personal computer with a 1 GHz processor (faster recommended)

512 megabytes (MB) of RAM for Microsoft® Windows® XP or Microsoft® Windows® 2000 and 1 gigabyte (GB) of RAM for Microsoft® Windows® Vista

SuperVGA monitor with the screen resolution set at 1024 x 768 or greater; small fonts seing; and true color (32 bits)

CD ROM drive



USB rev. 1.1 port
USB port (USB 2.0 recommended)
Mouse or pointing device
Printer, optional for printing reports
Fluke InsideIR 4.0 Software Upgrade

機型



Fluke InsideIR software

Some of the tools built into the package include:

- Temperature spots
 - Histograms
 - Isotherms
 - Emissivity and reflected temperature compensation
-

Fluke. 保持您的世界運作不懈。

Fluke Corporation
PO Box 9090, Everett, WA 98206 U.S.A.

更多資訊
U.S.A. (800) 443-5853
Europe/M-East/Africa
+31 (0)40 267 5100
Canada (800)-36-FLUKE
其他 +1 (425) 446-5500
www.fluke.com/zh-tw

©2025 Fluke Corporation. Specifications subject to
change without notice.
04/2025

Modification of this document is not permitted
without written permission from Fluke Corporation.